



Schmidlin™

Maintenance

individually swiss made.

Maintenance

Proper maintenance for Schmidlin kitchen splashbacks made from glazed titanium steel

- Rinse all glazed titanium steel (enamel) surfaces well with water and dry with a soft, absorbent cloth.
- Remove minor dirt with a mild detergent (e.g. washing-up liquid or window cleaner). For heavier residue, leave the detergent for a short time to let it have an effect. Rinse well with water and dry with a soft, absorbent towel.
- Regular drying can help avoid limescale deposits. Limescale deposits can be removed with a lukewarm, 1:1 diluted water/acetic acid solution.

Important: do not use undiluted acetic acid! Rinse well with water. Limescale deposits can also be scraped away with a razor blade.

- Do not use unsuitable detergents (see “Detergents” section).

Products with Schmidlin CLEANEFFECT:

Schmidlin CLEANEFFECT protects the surface from dirt and limescale by giving it a water- and oil-repellent finish. To ensure these Schmidlin glazed titanium steel products treated with Schmidlin CLEANEFFECT retain their water- and stain-repellent properties over the years, see the maintenance instructions below. In addition, please note that microfibre cloths are not suitable for cleaning.

Detergents

Using the wrong detergents will damage the product!

Schmidlin glazed titanium steel products should only be cleaned with liquid detergents which are suitable for enamel or glass.

Unsuitable detergents include:

- highly abrasive detergents and sponges
- highly acidic detergents (e.g. concentrated citric or acetic acids – diluting instructions must be followed!)
- products designed for cleaning toilets
- descaling agents
- detergents and disinfectants containing chloric or phosphoric acid
- alkaline detergents or washing machine cleaning agents

SchmidlinTM

Wilhelm Schmidlin AG
Gotthardstrasse 51
CH-6414 Oberarth

Fon +41 41 859 00 60
Fax +41 41 859 00 79
info@schmidlin.ch
www.schmidlin.ch